

NAME

scatterdb_convert - converts old style scattering database to new style scattering database.

SYNOPSIS

scatterdb_convert [OPTIONS]

DESCRIPTION

Copies the *scatterdb* to *outputdb* adding fields to adhere to the new style scattering database required by scatter-1.0.1 and greater.

The *hdosxform_db* and *mirror_db* are used to determine the zone geometry in the body center coordinates.

OPTIONS

The following options are supported:

hdosxformdb

RDB database mirror dimensions. See *FILES*.

mirrordb

RDB database of mirror positions. See *FILES*.

scatterdb

RDB database of zone positions and scattering distribution files. See *FILES*.

outputdb

File into which the output is written.

help

Print brief usage information and exit.

usage

Print usage information and exit.

version

Print version information and exit.

EXAMPLE

```
scatterdb_convert \
--hdosxformdb /proj/axaf/simul/databases/mirror/hdos_xform.rdb \
--mirrordb /proj/axaf/simul/databases/mirror/EKCHDOS06.rdb \
--scatterdb /proj/axaf/simul/databases/scatter/HDOS_980623a.rdb \
--outputdb ./HDOS_980623a.rdb
```

FILES**HDOS Transform Database**

The HDOS transform database must contain the mirror name, mirror end cut position, and mirror length in the *mirror*, *Z_ec*, and *L* columns respectively.

Mirror Database

The mirror database must contain the mirror name and Z position of the body center of the optic in the *mirror* and *z0* columns respectively.

Scatter Database

The scatter database must contain the mirror name, Z position of the zone minimum, Z position of the zone maximum, and the binary format scattering distribution file in the *mirror*, *zmin*, *zmax*, and *scat_file* columns respectively.

COPYRIGHT & LICENSE

Copyright 2006 Smithsonian Astrophysical Observatory

This software is released under the GNU General Public License. You may find a copy at <http://www.fsf.org/copyleft/gpl.html>

VERSION

This documents version @VERSION@ of **scatterdb_convert**.

AUTHOR

M. Tibbetts (mtibbetts@cfa.harvard.edu)