

NAME

SysArch – provide access to sysarch variables

SYNOPSIS

```
use SysArch;

# sysarch variables are available via the SysArch::Vars hash.
$os_type = $SysArch::Vars{'os_type'};
```

DESCRIPTION

SysArch provides access to the **sysarch** variables through the **SysArch::Vars** hash. The keys to the hash are the **sysarch** variable names.

INTERFACE

There are no functions to call.

DIAGNOSTICS

```
error running %s

There was an error running the sysarch program.
```

CONFIGURATION AND ENVIRONMENT

SysArch requires no configuration files or environment variables.

DEPENDENCIES

If **YAML::Tiny** is available it is used to parse the output of **sysarch**, otherwise the **sysarch** is eval'd, which is a security risk.

INCOMPATIBILITIES

None reported.

BUGS AND LIMITATIONS

No bugs have been reported.

SEE ALSO**VERSION**

Version 1.0.0

LICENSE AND COPYRIGHT

Copyright (c) 2008 The Smithsonian Astrophysical Observatory

sysarch is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

AUTHOR

Diab Jerius <djerius@cpan.org>