



AHELP for CIAO 3.4

polynom1d

Context: [sherpa](#)

Jump to: [Description](#) [Bugs](#) [See Also](#)

Synopsis

1-D polynomial function. Integration ON.

Description

A 1-D polynomial of order ≤ 8 :

$$f(x) = \sum_{i=0}^8 c_i (x-x_{\text{off}})^i,$$

where the coefficients c_i are the parameters numbered $i+1$, and x_{off} is parameter number 10.

Note that there is a degeneracy in the parameters, so it is recommended to set at least one of c_0 or x_{off} to zero and freeze it; thawing both may lead to unpredicted results.

Note also that all coefficients except c_0 are default frozen, so that the default polynomial model is a constant.

POLYNOM1D Parameters

Number	Name	Description
1	c0	coefficient c_0
2	c1	coefficient c_1
3	c2	coefficient c_2
4	c3	coefficient c_3
5	c4	coefficient c_4
6	c5	coefficient c_5
7	c6	coefficient c_6
8	c7	coefficient c_7
9	c8	coefficient c_8
10	offset	offset for x x_off

See "ahelp integrate" for further information about source model integration.

Bugs

See the [Sherpa bug pages](#) online for an up-to-date listing of known bugs.

See Also

sherpa

[atten](#), [bbody](#), [bbodyfreq](#), [beta1d](#), [beta2d](#), [box1d](#), [box2d](#), [bpl1d](#), [const1d](#), [const2d](#), [cos](#), [delta1d](#), [delta2d](#), [dered](#), [devaucouleurs](#), [edge](#), [erf](#), [erfc](#), [farf](#), [farf2d](#), [fpsf](#), [fpsf1d](#), [frmf](#), [gauss1d](#), [gauss2d](#), [gridmodel](#), [hubble](#), [jdpileup](#), [linebroad](#), [lorentz1d](#), [lorentz2d](#), [models](#), [nbeta](#), [ngauss1d](#), [poisson](#), [polynom2d](#), [powlaw1d](#), [ptsrc1d](#), [ptsrc2d](#), [rsp](#), [rsp2d](#), [schechter](#), [shexp](#), [shexp10](#), [shlog10](#), [shloge](#), [sin](#), [sqrt](#), [stephi1d](#), [steplo1d](#), [tan](#), [tpsf](#), [tpsf1d](#), [usermodel](#), [xs](#), [xsabsori](#), [xsacisabs](#), [xsapec](#), [xsbapec](#), [xsbbody](#), [xsbbodyrad](#), [xsbexrav](#), [xsbexriv](#), [xsbknpower](#), [xsbmc](#), [xsbremss](#), [xsbvapec](#), [xsc6mekl](#), [xsc6pmekl](#), [xsc6pvmkl](#), [xsc6vmekl](#), [xscabs](#), [xscemekl](#), [xscevtml](#), [xscflow](#), [xscompbb](#), [xscompls](#), [xscompst](#), [xscomptt](#), [xsconstant](#), [xscutoffpl](#), [xscyplabs](#), [xsdisk](#), [xsdiskbb](#), [xsdiskline](#), [xsdiskm](#), [xsdisko](#), [xsdiskpn](#), [xsdust](#), [xsedge](#), [xsequil](#), [xsexpabs](#), [xsexpdec](#), [xsexpfac](#), [xsgabs](#), [xsgaussian](#), [xsgnei](#), [xsgrad](#), [xsgrbm](#), [xshighecut](#), [xshrefl](#), [xslaor](#), [xslorentz](#), [xsmeka](#), [xsmekal](#), [xsmkcflow](#), [xsnei](#), [xsnotch](#), [xsnpshock](#), [xsnsa](#), [xsnteea](#), [xspcfabs](#), [xspgpwrlw](#), [xspexrav](#), [xspexriv](#), [xsphabs](#), [xsplabs](#), [xsplcabs](#), [xsposm](#), [xspowerlaw](#), [xspshock](#), [xspwab](#), [xsraymond](#), [xsredder](#), [xsredge](#), [xsrefsch](#), [xssedov](#), [xssmedge](#), [xsspline](#), [xssrcut](#), [xssresc](#), [xssssice](#), [xsstep](#), [xstbabs](#), [xstbgrain](#), [xstbvarabs](#), [xsuvred](#), [xsvapec](#), [xsvarabs](#), [xsvbremss](#), [xsvequil](#), [xsvnei](#), [xsvmcflow](#), [xsvmeka](#), [xsvmekal](#), [xsvnei](#), [xsvnpshock](#), [xsvphabs](#), [xsvpshock](#), [xsvraymond](#), [xsvsedov](#), [xswabs](#), [xswndabs](#), [xsxion](#), [xszbbody](#), [xszbremss](#), [xszedge](#), [xszgauss](#), [xszhighect](#), [xszpcfabs](#), [xszphabs](#), [xszpowerlw](#), [xsztbabs](#), [xszvarabs](#), [xszvfeabs](#), [xszvphabs](#), [xszwabs](#), [xszwndabs](#)

slang

[usermodel](#)

The Chandra X-Ray Center (CXC) is operated for NASA by the Smithsonian Astrophysical Observatory.
60 Garden Street, Cambridge, MA 02138 USA.
Smithsonian Institution, Copyright © 1998–2006. All rights reserved.

URL:
<http://cxc.harvard.edu/ciao3.4/polynom1d.html>
Last modified: December 2006