



 AHELP for CIAO 3.4

punlearn

Context: [tools](#)

Jump to: [Description](#) [Example](#) [Parameters](#) [Bugs](#) [See Also](#)

Synopsis

Restore system default parameter values

Syntax

```
punlearn toolname
```

Description

Restore the parameter values in the specified parameter file to the system defaults.

Example

```
(1) punlearn dmlist
```

Searches the users PDIRS, PFILES, and UPARM for a system parameter file (the directories specified after the ";") and updates the user's writeable version with the system default values.

Parameters

| name | type | ftype | reqd |
|----------------|--------|-------|------|
| parameter_file | string | input | yes |

Detailed Parameter Descriptions

Parameter=`parameter_file` (string required filetype=input)

Parameter file name.

Name of the parameter file (with optional path) to restore to default settings.

Bugs

See the [bugs page for this tool](#) on the CIAO website for an up-to-date listing of known bugs.

See Also

concept

[parameter](#)

modules

[paramio](#)

paramio

[paccess](#), [paramclose](#), [paramopen](#), [pget](#), [pgets](#), [plist_names](#), [pquery](#), [pset](#), [punlearn](#)

tools

[dmhistory](#), [dmkeypar](#), [dmmakepar](#), [dmreadpar](#), [paccess](#), [pdump](#), [pget](#), [pline](#), [plist](#), [pquery](#), [pset](#)

The Chandra X-Ray Center (CXC) is operated for NASA by the Smithsonian Astrophysical Observatory.
60 Garden Street, Cambridge, MA 02138 USA.
Smithsonian Institution, Copyright © 1998–2006. All rights reserved.

URL:
<http://cxc.harvard.edu/ciao3.4/punlearn.html>
Last modified: December 2006