



 AHELP for CIAO 3.4

str chop

Context: [slangrtl](#)

Jump to: [Description](#) [Example](#) [See Also](#)

Synopsis

Chop or split a string into substrings.

Syntax

```
String_Type[] str chop (String_Type str, Integer_Type delim,
Integer_Type quote)
```

Description

The str chop function may be used to split-up a string str that consists of substrings delimited by the character specified by delim. If the integer quote is non-zero, it will be taken as a quote character for the delimiter. The function returns the substrings as an array.

Example

The following function illustrates how to sort a comma separated list of strings:

```
define sort_string_list (a)
{
  variable i, b, c;
  b = str chop (a, ',', 0);

  i = array_sort (b, &strcmp);
  b = b[i]; % rearrange

  % Convert array back into comma separated form
  return str join (b, ",");
}
```

The semantics of this str chop and str chopr have been changed since version 1.2.x of the interpreter. Old versions of these functions returned the values on the stack, which meant that one could not chop up arbitrarily long strings that consist of many substrings.

The function str chopr should be used if it is desired to have the string chopped-up in the reverse order.

See Also

slangrtl

[create delimited string](#), [extract element](#), [is list element](#), [str chop](#), [str join](#), [str tok](#)

The Chandra X-Ray Center (CXC) is operated for NASA by the Smithsonian Astrophysical Observatory.
60 Garden Street, Cambridge, MA 02138 USA.
Smithsonian Institution, Copyright © 1998–2006. All rights reserved.

URL:
<http://cxc.harvard.edu/ciao3.4/str chop.tm.html>
Last modified: December 2006