



 AHELP for CIAO 3.4

undo

Context: [chips](#)

Jump to: [Description](#) [Examples](#) [Bugs](#) [See Also](#)

Synopsis

Undoes the most recently executed plotting command.

Syntax

```
chips> UNDO
chips> UNDO n
```

Description

The UNDO command undoes the previous ChIPS command or – if a number is supplied ("n" above) – undoes that number of commands. There is a limit of 10 commands that can be undone.

Example 1

```
chips> CURVE data/example.dat
chips> LIMITS X 5.0 15.0
chips> UNDO
```

A curve is plotted, then the limits of the X-axis are changed. The UNDO command restores the limit to their original defaults.

Example 2

```
chips> CURVE data/example.dat
chips> LIMITS X 5.0 15.0
chips> LIMITS Y 10.0 15.0
chips> AXES BLUE
chips> LIMITS Y 10.0 25.0
chips> UNDO 3
```

A curve is plotted and the limits of both axes are changed. They are colored blue, then the Y-axis limits are changed again. The UNDO command backtracks through the previous three commands (in the order they are

undone: LIMITS Y 10.0 25.0, AXES BLUE, LIMITS Y 10.0 15.0).

Bugs

See the [bugs page for ChIPS](#) on the CIAO website for an up-to-date listing of known bugs.

See Also

chips

[batch](#), [browse](#), [clear](#), [delete](#), [exit](#), [info](#), [list](#), [pickpoints](#), [redo](#), [redraw](#), [type](#), [verbose](#)

The Chandra X-Ray Center (CXC) is operated for NASA by the Smithsonian Astrophysical Observatory.
60 Garden Street, Cambridge, MA 02138 USA.
Smithsonian Institution, Copyright © 1998–2006. All rights reserved.

URL:
<http://cxc.harvard.edu/ciao3.4/undo.html>
Last modified: December 2006