

URL: http://cxc.harvard.edu/ciao3.4/bugs/dmimgcalc.html

Last modified: 7 March 2008

Bugs: dmimgcalc

Bugs

1. dmimgcalc creates an incorrect LIVETIME keyword in the output file.

Users may need to modify the value of this keyword manually using <u>dmhedit</u>.

2. Boolean operators – such as < and > – are not working on arrays (e.g. images).

Note that threshold conditions may be more easily applied by using <u>dmimqthresh</u> instead of this tool.

3. dmimgcalc corrupts the file history (07 Mar 2008)

dmimgcalc corrupts the history records in the file header, duplicating previous history entries.

4. Status is not set on error. (07 Mar 2008)

There are several instances where the dmimgcalc exit status is set to 0, even when the command was not successful.

The Chandra X-Ray Center (CXC) is operated for NASA by the Smithsonian Astrophysical Observatory.
60 Garden Street, Cambridge, MA 02138 USA.
Smithsonian Institution, Copyright © 1998–2008. All rights reserved.

URL: http://cxc.harvard.edu/ciao3.4/bugs/dmimgcalc.html
Last modified: 7 March 2008

Last modified. / Water 2008

Bugs: dmimgcalc 1

Bugs: dmimgcalc - CIAO 3.4

2 Bugs: dmimgcalc