



Bugs: dmkeypar

A list of bugs fixed in CIAO 3.4 is included at the end of this document.

Bugs

1. *Cannot access the second element in a vector column* **NEW** (07 Mar 2008)

dmkeypar cannot be used to get information from the second element in a vector column, e.g. the second R value from a wavdetect source file:

```
unix% dmlist s3_src.fits"[cols R][#row=1]" data
-----
Data for Table Block SRCLIST
-----
ROW      R[2]
-----
1 [      3.8186242580      2.8336687088]
```

Bugs fixed in CIAO 3.4

The following is a list of bugs that were fixed in the CIAO 3.4 software release.

1. *The tool should not be used to read data from array columns that are part of a vector.* (01 Jun 2006)

dmkeypar will access the first X value correctly, but not the first Y value in the vector array column (when the length of the array is > 1).

Examples of such a column are the "x", "y", and "pos" columns below:

```
-----
Columns for Table Block REGION
-----
ColNo  Name                Unit      Type          Range
-----
1      POS(X,Y)[11]        pixel    Real8(11)    -Inf:+Inf
2      SHAPE                String[16]
3      R[2]                pixel    Real8(2)     -Inf:+Inf
4      ROTANG[2]           pixel    Real8(2)     -Inf:+Inf
5      COMPONENT            Int2     -
```

Bugs: dmkeypar – CIAO 3.4